
Combustible Cabinet

WA810451R



















It has acquired FM & CE Certification and is in strict comply with FM Approval Standard for Storage Cabinets (Flammable and Combustible Liquids) Class Number 6050, OSHA 29 CER 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration

SYSBEL Combustible Cabinets for storing paintings, oil and other flammable liquids(high flash point liquid, flash point≥37.8°C), Suitable for coating, printing, furniture, automobile and other industries.

- 1.Double-wall construction with 38mm insulating air space for fire resistance.
- 2. Over 1.2mm thick, fully welded, construction holds squareness for longer life, offering greater
- 3.5.3cm leak tight sump at the bottom of cabinet's maximally catches incidental drips.
- 4.Door can be fully opened to 180°, easy to operate, three-point latch with a manual lock for better
- 5. Standardized warning label is highly visible and anti-corrosive.
- 6. Unique spill-catcher shelves catch incidental drips and adjust on 6cm centers.
- 7. Durable&chemical resistant, lead-free powder coat inside and outside cabinet, reduce effects of corrosion and humidity.
- 8.2inches vents with integral flame arresters in both sides of every cabinet.
- 9.In terms of OSHA, on outside side panel, there is built-in grounding static connector for easy grounding.



	Combustible Cabinet WA810451R									
-	Volume (Gal/L)	Certification	Door type	Ext dimension (H×W×D/cm)	Packing dimension (H×W×D/cm)	Adjustable Shelves(Pcs)	Shelf Loading Weight(Kgs.)	N.W. (Kgs.)	G.W. (Kgs.)	Model
	45/170	FM, CE	Double Door/ Self-close	165x109x46	179x116x53	2	100	124	148	WA810451R

WA810451R





Product details

The door is self-close

18Ga(1-mm)quality welded steel Unleaded coating with polish surface, which is corrosion and

moisture proof



Adjustable shelves with antileakage design



Fireproofing vents to effectively reduce the concentration of volatile substances, and prevent fire hazards. Special spillproof shelves to avoid chemical leakage by accident.



The cabinet has three-point linkage lock, and the door can open 180°



sides of cabinet



FM Approved Anti-Static Device:Conductor grip combine the equipment with the cabinet to conduct the static to earth, thus to prevent fire accident



The three-point bullets: Anti-static design structure





///SYSHEL